

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

1. (Currently Amended) A molded article comprising a polytrimethylene terephthalate reinforced resin composition comprising 100 parts by weight of resin components and 5 to 300 parts by weight of a crystalline inorganic filler (C),

wherein the resin components consist consisting of 97.2 to 70 parts by weight of a polytrimethylene terephthalate resin (A1), 2.5 to 29.7 parts by weight of a polycarbonate resin (A2) and 0.3 to 10 parts by weight of an epoxy resin (B), and 5 to 300 parts by weight of a crystalline inorganic filler (C)

wherein the molded article is a bath product, a washroom product, a toilet product, a kitchen product, or a sink product.

2. (Canceled)

3. (Currently Amended) The molded article polytrimethylene terephthalate reinforced resin composition according to Claim 1, wherein the composition comprises a part of the resin components grafted on the crystalline inorganic filler in an amount from 0.01 to 5 parts by weight per 100 parts by weight of the crystalline inorganic filler.

4. (Currently Amended) The molded article polytrimethylene terephthalate reinforced resin composition according to Claim 1, wherein the composition comprises the epoxy resin in a part of the resin components not grafted on the crystalline inorganic filler in an amount from 0.1 to 20% 0.3 to 10% by weight.

5 – 6. (Canceled)

7. (Currently Amended) The molded article polytrimethylene terephthalate reinforced resin composition according to Claim 1, wherein the crystalline inorganic filler is one or more inorganic fillers selected from the group consisting of wollastonite, talc, mica, kaolin, potassium titanate whiskers, calcium carbonate whiskers and barium sulfate.

8. (Currently Amended) The molded article polytrimethylene terephthalate reinforced

~~resin composition~~ according to Claim 1, wherein the crystalline inorganic filler is wollastonite.

9. (Currently Amended) The molded article polytrimethylene terephthalate-reinforced resin composition according to Claim 1, ~~further comprising wherein the composition further comprises~~ a glass fiber (D) in an amount less than the amount of the crystalline inorganic filler (C).

10. (Currently Amended) The molded article according to Claim 2 polytrimethylene terephthalate-reinforced resin composition according to Claim 1, wherein the composition comprises a part of the resin components grafted on the crystalline inorganic filler and on the glass fiber in an amount from 0.01 to 5 parts by weight per 100 parts by weight of the total of the crystalline inorganic filler and the glass fiber.

11. (Currently Amended) The molded article polytrimethylene terephthalate-reinforced resin composition according to Claim 1, wherein the polytrimethylene terephthalate resin has an intrinsic viscosity  $[\eta]$  of 0.60 or more.

12. (Currently Amended) The molded article polytrimethylene terephthalate-reinforced resin composition according to Claim 1, wherein the epoxy resin (B) is a novolac epoxy resin.

13. (Currently Amended) The molded article polytrimethylene terephthalate-reinforced resin composition according to Claim 1, wherein the epoxy resin (B) is a novolac epoxy resin having an epoxy equivalent from 150 to 250 (/eq.).

14. (Currently Amended) The molded article polytrimethylene terephthalate-reinforced resin composition according to Claim 1, wherein the epoxy resin (B) is a bisphenol A epoxy resin.

15. (Currently Amended) The molded article polytrimethylene terephthalate-reinforced resin composition according to Claim 1, wherein the epoxy resin (B) is a bisphenol A epoxy resin having an epoxy equivalent from 600 to 3,000 (/eq.).

16.-18. (Canceled)

19. (Currently Amended) The ~~molded article according to Claim 18~~ Claim 1, wherein the molded article is a washroom counter, a kitchen counter, a bathtub, a wash bowl, a hand-wash bowl, a toilet counter, or a cabinet counter top.

20. (Currently Amended) The molded article according to ~~Claim 17~~ Claim 1, wherein a surface of the molded article has a Barcol hardness of 30 or more.